
PHOTOGRAPHIC INTERPRETATION REPORT

NPIC. R-1264: 64
June 1964

25X1

MISSION COVERAGE INDEX MISSION 3049


19 JUNE 1964





Declass Review by NIMA/DOD

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

GROUP 1
Excluded from automatic
downgrading and declassificatio

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010040-7



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010040-7

NPIC/R 1264/64

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF _______MISSION 3049 DATED 19 JUNE 1964 COVERING LAGS.

ITEMS ARE ARRANGED IN SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGES, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO DRDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

TARGETS IN EACH OF THE SECTIONS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION

1

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010040-7

NPIC/R-1264/64

OF THE AMS SERIES L509, SCALE 1.250,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECTION I

THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010040-7

NPIC/R-1264/64

Target	Coordinates		WAC	Targe	7	
	Coolain		""	BE	NPIC	4
-LAOS- MILITARY INSTALLATIONS LAK SAO ARMY BARRACKS			·			
JUST SE OF LAK SAO AT UTM VF975111. RECTANGULAR TRENCHED AREA CONTAINS 2 BARRACKS, ONE ADMINISTRATION BUILDING, 3 SUPPORT BUILDINGS, THE FRAMEWORKS AND FOUNDATIONS OF 5 FORMER BUILDINGS, AND SCARS FROM AT LEAST 3 FORMER BUILDINGS. THREE UNOCCUPIED AW POSITIONS OBSERVED IN THE AREA. NO OTHER ACTIVITY OBSERVED.	1811N	10459E	Ø617		113-A	25)
A POSSIBLY ASSOCIATED AREA JUST NORTH ON NORTH SIDE OF ROUTE 8 CONTAINS 9 BUILDINGS. TRENCH ENCLOSED STRONGPOINT .8 NM NNE AT UTM VF98112Ø CONTAINS 5 SMALL BUILDINGS. REST AND REFUEL POINT JUST NE OF STRONGPOINT AT UTM VF982121 CONTAINS 16 BUILDINGS DISPERSED IN WOODS AND AN EXTENSIVE TRENCH SYSTEM. ONE VEHICLE OBSERVED IN WOODED AREA.						
BASIC SERVICES						
UNNUMBERED ROUTE						
SINGLE-LANE, DRY WEATHER, SERVICEABLE ROAD WITH NUMEROUS WATER-FILLED POTHOLES AND RUTS OBSERVED FROM JUNCTION WITH ROUTE 8 AT						

3

SECRET

25X1

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010040-7

NPIC/R-1264/64

Target Numbers

	l	1	, urger ,	Numbers
Target	Coordinates	WAC	BE	NPIC
ROUTE 8, SEGMENT 3 SINGLE LANE, DRY WEATHER, SERVICEABLE ROAD WITH NUMEROUS WATER FILLED POTHOLES AND RUTS OBSERVED FROM 18-19N 105-05E TO 18-10N	1811N 1Ø458E	Ø617	BE	NPIC
105-01E. SINGLE LANE, DECK OVER STEEL TRUSS, 3-SPAN, 200 FT LONG SERVICEABLE BRIDGE OBSERVED AT UTM WE080245. SINGLE LANE, SERVICEABLE, WOODEN DECK, APPROXIMATELY 60 FT LONG BRIDGE OBSERVED AT UTM WE058213.				

SECRET

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010040-7

NPIC/R-1264/64

Target	Coordinates	WAC	Target Numbers		1
10.901	Coordinates	""	BE	NPIC	4
-LAOS-					
-LAU3-					
AIR INSTALLATIONS					
LAK:SAO AIRFIELD	1811N 10459E	Ø617 -		113	
	_				
NAPE AREA: LANDING AREA	1818N 10505E	Ø617		118	ļ
MILITARY INSTALLATIONS					
MADE ADEA - MALATADA ADEA					
NAPE AREA, MILITARY AREA	1819N 10504E	Ø617		118-A	۱
					1
					Ì
					l
					1
					1
	1				1

5

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\underline{WAC}\text{--}This$ column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).